Technical Standard [TS05/20] National Impact Assessments Data Set and Dictionary



National Impact Assessments Data Set and Dictionary

Technical Standard [TS 05/20]

October 2020

ISBN 978-0-478-43531-3 Published by the National Emergency Management Agency

Authority

This Technical Standard has been issued by the Director Civil Defence Emergency Management pursuant to s9(3) of the Civil Defence Emergency Management (CDEM) Act 2002. It provides a minimum set of standard data definitions for use by CDEM Groups, emergency services, and operational personnel from other responding agencies in collecting information in an emergency.

This document is not copyright and may be reproduced with acknowledgement. It is available, along with further information about the National Emergency Management Agency (NEMA), on the NEMA website www.civildefence.govt.nz.



National Emergency Management Agency PO Box 5010 Wellington 6145 New Zealand

Tel: +64 4 817 8555 Fax: +64 4 817 8554

Email: emergency.management@nema.govt.nz

Website: www.civildefence.govt.nz

Foreword

During emergencies large volumes of data are collected by a range of responding agencies and organisations to inform their operations and deliver services. Data is collected to a variety of standards and formats. This variation creates delays and challenges when the information is brought together to form a complete picture of the situation.



Agencies responsible for assessments and standards within New Zealand were bought together in workshops to agree a common set of definitions relating to damage, impact and needs assessment. This technical standard is the outcome of that work.

The technical standard defines data content standards to establish a consistent way to describe and record impact assessment data across agencies. It is intended for use by CDEM Groups, emergency services and operational personnel from other responding agencies.

Having a technical standard ensures there is consistency in how we define each element of information. This helps to maximise the value of data by creating a more complete view to inform decision making during an emergency and enable information sharing with other agencies, where appropriate. Data can be reconciled faster and more efficiently, saving time and money and contributing to the common operating picture.

I am pleased this standard will improve the way data is collected and shared during emergencies in New Zealand, leading to efficient and consistent delivery of services to affected communities.

Sarah Stuart-Black

Mont Slack

Director of Civil Defence Emergency Management

Contents

Section 1 Introduction	1
1.1 Purpose	1
1.2 Structure	2
1.3 Audience and intended use	2
1.4 Review of the National Impact Assessment Data Set and Dictionary Technical Standard & Impact Assessment Director's Guideline	5
Section 2 Data Elements	6
2.1 Data set: Identification/registration	9
2.2 Data set: Immediate Needs / Assistance	19
2.3 Data set: Inquiry / Missing Person	21
2.4 Data set: Shelter and Accommodation	24
2.5 Data set: Household Goods and Services	28
2.6 Data set: Animal Welfare	30
2.7 Data set: Health and Disability	34
2.8 Data set: Financial Assistance	35
2.9 Data set: Psychosocial Support	38
2.10 Data set: Additional Information	39
2.11 Data set: Event Characteristics	39
2.12 Data set: Location	42
2.13 Data set: Structure Characteristics	49
2.14 Data set: External Risks	57
2.15 Data set: Condition Characteristics	58
2.16 Data set: Geotechnical Rapid Assessment	
2.17 Data set: Hazard Identification	68
2.18 Data set: Imagery	70

Section 1 Introduction

This Technical Standard should be read in conjunction with the *Impact* Assessments Director's Guideline for Civil Defence Emergency Management Groups [DGL 22/20], which provides an overview of the concept of damage assessments in a CDEM context. The DGL describes:

- how impact assessment informs readiness and response planning as an input to intelligence collection and response and recovery planning processes;
- the impact assessment process across three phases, both during and after an emergency;
- roles and responsibilities of CDEM Groups, emergency services, other government agencies, and response organisations and agencies for conducting these assessments; and
- impact assessment planning, including underpinning principles, plan requirements, and strategic implementation guidance.

This Technical Standard is a minimum set of standard data definitions agreed for collection and reporting agencies and emergency services personnel.

1.1 Purpose

The purpose of this Technical Standard is to provide a common language for carrying out information collection in an emergency management context, including rapid impact assessments and welfare needs assessments.

This Technical Standard has been designed to improve the comparability of data across organisations nationally and to facilitate shared situational awareness through harmonised data capture.

It constitutes the authoritative source of information about endorsed national metadata standards and provides the basis for consistent national collection and reporting.

Objectives

The objectives of this Technical Standard are to:

- establish a core set of uniform definitions relating to assessments used in the emergency management context;
- promote uniformity, availability, reliability, validity, consistency and completeness in the data;
- accord with nationally and internationally agreed protocols and standards, wherever possible;
- promote the national standard definitions by being readily available to all individuals and organisations involved in the generation, use and/or development of impact assessment information; and
- facilitate and promote the development of good data definitions across the emergency management sector.

1.2 Structure

Elements

This Technical Standard is made up of a series of descriptions of data elements presented in table form. The description of each element includes specifications for that element, including the unit of measurement, permissible values, and/or the data type (how the element should be expressed, i.e. as text, a numeric value, a date/time value, an enumerated list, look-ups, booleans, or unique identifiers).

Data sets

Each element in this Technical Standard is part of a larger data set. See Table 1 for a complete list of data sets and elements.

1.3 Audience and intended use

This Technical Standard is intended for use by CDEM Groups, emergency services and operational personnel from other responding agencies.

Technical use

The data element definitions provided in this Technical Standard are intended to be used to build any type of information collection system or schema.

Data elements from this Technical Standard may be used for different assessment purposes in different contexts.

Figure 1 (below) shows how a data element from this Technical Standard (in this case, the 'Street address number' element) could be used in both a building assessment context and a welfare needs assessment context.




Figure 1 Example of how a data element from this Technical Standard may be used in different contexts

This Technical Standard does not dictate what information is gathered (and what questions are asked) in different types of information collection systems. Rather, it provides the technical building blocks for collecting and recording data in a consistent way so that information is able to be easily interpreted and shared across agencies.

This Technical Standard does not preclude agencies and service providers from collecting additional data to meet their own specific needs.

Use in the impact assessment process



This Technical Standard is intended to be used during Phase 2 (Rapid impact assessment) and Phase 3 (Specialist detailed assessment) of the impact assessment process, as shown in Figure 2.

A complete description of the impact assessment process, and guidance for preparing for (in readiness) and undertaking (in response and recovery) impact assessments is provided in the Impact Assessments Director's Guideline for Civil Defence Emergency Management Groups [DGL 22/20].

The Guideline is an essential companion to this Technical Standard. Both documents are available on the National Emergency Management Agency (NEMA) website, www.civildefence.govt.nz.

Pre-emergency Planning & Readiness

Impact Assessment Plan:

- Hazard/risk assessment
- Baseline data capture (including community analysis)
- Develop collection methods/systems
- Plan on use of resources; including local community assets (developing SOPs across multiple agencies)
- Pre-prioritisation of assessments

Impact Assessment Implementation Plan

- · Gain authority
- Prioritise survey areas
- · Assess and assign resources
- · Agree data capture and reporting tools
- Support Preliminary Scoping, Objective Analysis, and Hazard and Environment Analysis steps of the action planning process

Phase 1: Wide Area Impact Assessment

- · Primary observations
- · Response agencies' initial observations
- Community engagement
- Media and social media reporting (including crowd-sourcing)
- Support ongoing Hazard and Environmental Analysis and Action Plan options development

Phase 2: Rapid Impact Assessment

- Situational awareness development
- Interoperable, all-agency data collection and application
- Quality assurance of data (reliability and credibility)
- · Rapid building assessments
- Specialist tasking and planning
- Initial consequence analysis
- Intelligence/impact reporting
- Determination of further assessment needed
- Initial recovery planning and activities
- Support ongoing Hazard and Environmental Analysis and preparation of the Action Plan

Phase 3: Specialised Detailed Assessment

- Specialist operations
- Welfare registration & needs assessment
- Lifeline utility assessments
- Building assessments: Detailed Damage Evaluation
- · Specialist operations heritage assessments
- · Detailed consequence analysis
- · Support ongoing Intelligence and Planning process
- Oversee assessment implementation within the response

Transitioning to Recovery

Detailed assessments of social, economic, built and natural environments are likely to be ongoing

Figure 2 Impact assessment process

Review/revise against latest information analysis and forward planning.

Phases may be iterative.

- Event

8 Hours

48 Hours

1.4 Review of the National Impact Assessment Data Set and Dictionary **Technical Standard & Impact Assessment Director's Guideline**

National Impact Assessments Data Set and Dictionary Technical Standard review This Technical Standard will be reviewed as necessary. Formal approval for changes will be sought from the NEMA Leadership Team.

Urgent corrections may be advised to NEMA at any time and will be published in a draft form until formal approval has been granted.

Impact Assessment Director's Guideline review The Director's Guideline will be reviewed by NEMA every three years alongside the National Impact Assessments Data Set and Dictionary Technical Standard.

Section 2 Data Elements

This section includes the data elements that make up the National Impact Assessments Data Set and Dictionary. They constitute the minimum set of data fields agreed for collection and reporting.

Data sets

Data elements are organised into sets, as shown in Table 1.

Table 1 Data sets and elements

Data set	See page
Identification / Registration	9
Assessment Agency	
Assessor name and ID	
Assessment ID Number	
Assessment Date	
Assessment Time 24hr	
Assessment Time AM/PM	
First Name	
Last Name	
Preferred name / Alias	
Contact details	
Contact name for building assessment	
Age	
Gender Identity	
Ethnicity	
Nationality	
lwi affiliation	
Identification	
Additional registration notes	
Assessor notes	
Immediate Needs / Assistance	19
Different usual residential address	
Language	
Wellbeing and safety	
Emergency needs	
Inquiry / Missing person	21
Missing person agency referral	
Missing person name	
Missing person residential address	
Missing person contact details	
Shelter and Accommodation	24
Shelter and accommodation referral	
Number of adults requiring accommodation	

Data set	See page
Number of children requiring accommodation	
Accommodation requirements	
Property status	
Property Owner	
What is your insurance status?	
Property / insurance notes	
Household Goods and Services	28
Household goods and services referral	
Water delivery required	
Animal Welfare	30
Animal welfare referral	
Animal welfare assistance required	
Animal type(s)	
Number of companion animals	
Companion animal type(s)	
Location of animal(s)	
Animal welfare notes	
Health and Disability	34
Health and disability referral	
Health or disability needs	
Financial Assistance	35
Financial assistance referral	
Financial assistance needs	
Psychosocial Support	38
Psychosocial support referral	
Psychosocial support needs	
Additional Information	39
Is there anything we should be aware of when supporting you?	
Event Characteristics	39
Event Name	
Event Type	
Hazard Type	
Location	42
CDEM Boundaries	
Location assessment took place	
Street Number	
Street Name	
Building Name	
Suburb / District (Locality)	
City / Town (Locality)	
Territorial Authority	

Country Geocode Coordinates – Latitude Geocode Coordinates – Longitude Structure Characteristics Structure Type complex earthquake Structure Type simple earthquake External Cladding Type simple earthquake / flood Lining type flooding Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Estimated damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Imagery 70 Imagery	Data set	See page
Structure Characteristics Structure Type complex earthquake Structure Type simple earthquake External Cladding Type simple earthquake / flood External Cladding Type complex earthquake / flood Lining type flooding Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Estimated damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 70	Country	
Structure Characteristics Sitructure Type complex earthquake Structure Type simple earthquake External Cladding Type simple earthquake / flood External Cladding Type simple earthquake / flood Lining type flooding Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Estimated damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 70	Geocode Coordinates – Latitude	
Structure Type complex earthquake Structure Type simple earthquake External Cladding Type simple earthquake / flood External Cladding Type complex earthquake / flood Lining type flooding Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 70	Geocode Coordinates – Longitude	
Structure Type simple earthquake External Cladding Type simple earthquake / flood External Cladding Type complex earthquake / flood Lining type flooding Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Topographic setting Integery 70	Structure Characteristics	49
External Cladding Type simple earthquake / flood External Cladding Type complex earthquake / flood Lining type flooding Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks eflood Condition Characteristics Observed damage Estimated damage Estimated damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Topographic setters Roof and above) Sometime action and an earthquake / flood Further actions required 68 68 68	Structure Type complex earthquake	
External Cladding Type complex earthquake / flood Lining type flooding Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 70	Structure Type simple earthquake	
Lining type flooding Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Estimated damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Topographic settore Roof materials Structures present Hazards observed Imagery 70	External Cladding Type simple earthquake / flood	
Construction age Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Topographic setting Integery 70	External Cladding Type complex earthquake / flood	
Roof materials Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Topographic setting Rapid Assessment Indication Rapid Asserved Further actions required Rapid Asserved 68 68	Lining type flooding	
Number of levels (ground level and above) Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 57 Bota	Construction age	
Building type Infrastructure type External Risks Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 57 Bota	Roof materials	
Infrastructure type External Risks Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 578 58 58 68 68 67 68 68 68 68 68 68	Number of levels (ground level and above)	
External Risks Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 588 58 68 68 Fall Rapid Assessment Foreign and the set of the set o	Building type	
Potential external risks earthquake Potential external risks flood Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Finance archives in the set of the se	Infrastructure type	
Potential external risks flood Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed 588 588 688 688 688 688 688 68	External Risks	57
Condition Characteristics Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed 588	Potential external risks earthquake	
Observed damage Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Estimated damage Exitimated damage Existing placards Accessibility Assessment completed Further actions required 66 Structures present Topographic setting Other relevant features Hazards observed	Potential external risks flood	
Estimated damage Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Existing damage 68 Hazards observed	Condition Characteristics	58
Main area of structural damage Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Resisting placards Accessibility Assessment completed Further actions required 66 68 Hazards observed	Observed damage	
Existing placards Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Fxisting Hazards observed Fasting F	Estimated damage	
Accessibility Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Assessment 68 Hazards observed	Main area of structural damage	
Assessment outcome Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Assessment 68 Hazards observed	Existing placards	
Survey extent of damage Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Agents Assessment of the property of the prope	Accessibility	
Geotechnical assessment completed Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 70	Assessment outcome	
Further actions required Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Further actions required 66 68 68	Survey extent of damage	
Business operation / Continuity Water ingress (height) Washout required Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery Assessment 66 68 70	Geotechnical assessment completed	
Water ingress (height) Washout required Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 70	Further actions required	
Washout required Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 66 68 70	Business operation / Continuity	
Geotechnical Rapid Assessment Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 66 68	Water ingress (height)	
Structures present Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 70	Washout required	
Topographic setting Other relevant features Hazard Identification Hazards observed Imagery 70	Geotechnical Rapid Assessment	66
Other relevant features Hazard Identification Hazards observed Imagery 70	Structures present	
Hazard Identification Hazards observed Imagery 70	Topographic setting	
Hazards observed 70	Other relevant features	
Imagery 70	Hazard Identification	68
	Hazards observed	
Imagery	Imagery	70
	Imagery	

2.1 Data set: Identification/registration

Data element name: A	ssessment Agency
Definition	The name of the agency, department or organisation conducting the assessment and submitting the assessment form.
Context	Assessment Agency identifies the agency, department or organisation conducting the assessment and submitting the assessment form. It refers to the agency, department or organisation that the assessor is employed by.
Representation type	Text
Data type	String
Format	X[50]
Maximum character length	50
Unit of measurement	Not applicable
Permissible values	The agency, department or organisation involved in assessments should develop a standard naming convention that enables the consistent recording of their involvement each time an assessment is conducted. For agencies, departments or organisations with computer or mobile devices this could be pre-populated during the initial stage of data capture.
Collection method or notes	Could potentially be populated from login credentials.
Source and reference elements	

Data element name: Assessor name and ID	
Definition	The name and their contact mobile number is the unique identification number that identifies the Assessor responsible for the creation and submission of the assessment form.
Context	The Assessor identifies the responsible officer for the creation and submission of the Damage Assessment Form.
Representation type	Text
Data type	String
Format	X[250]
Maximum character length	250
Unit of measurement	Not applicable
Permissible values	Not applicable
Collection method or notes	The named Assessor is generated by the agency, department or organisation for which the assessment officer works for, or is affiliated with and could potentially be populated from login credentials.
Source and reference elements	Agency, department or organisation

Data element name: Assessment ID Number	
Definition	A unique number that identifies the assessment form.
Context	
Representation type	Text
Data type	String
Format	X[15]
Maximum character length	15
Unit of measurement	Not applicable
Permissible values	Not applicable
Collection method or notes	Could potentially be populated from login credentials.
Source and reference elements	

Data element name	: Assessment Date
Definition	The date the assessment was undertaken.
Context	This data field identifies the date the assessment was undertaken. It can be used for audit and quality control purposes.
Representation type	Date
Data type	Date
Format	DD/MM/YYYY
Maximum character length	8
Unit of measurement	Not applicable
Permissible values	Date
Collection method or notes	This date is not the date the assessment form is submitted (paper-based data collections). This data field identifies the date the assessment was undertaken.
	Could potentially be populated from login credentials (digital data collections).
Source and reference elements	

Data element name: Assessment Time 24hr	
Definition	The time the assessment was undertaken.
Context	This data field identifies the local time the assessment was undertaken. It can be used for audit and quality control purposes.
Representation type	Time

Data element nam	Data element name: Assessment Time 24hr	
Data type	Time	
Format	HH:MM	
Maximum character length	4	
Unit of measurement	Not applicable	
Permissible values	Time – the method of measuring the time is based on the full twenty-four hours of the day, rather than dividing it into two groups of twelve hours.	
Collection method or notes	This data field identifies the time the assessment was undertaken.	
Source and reference elements		

Data element nam	Data element name: Assessment Time AM/PM	
Definition	The date / time the assessment was undertaken.	
Context	This data field identifies the date and local time the assessment was undertaken. It can be used for audit and quality control purposes.	
Representation type	Time	
Data type	Time	
Format	HH:MM AM/PM	
Maximum character length	8	
Unit of measurement	Not applicable	
Permissible values	Date Time – the method of measuring the time is based on the two groups of twelve hours, rather than the full twenty-four hours of the day.	
Collection method or notes	This data field identifies the date and time the assessment was undertaken.	
Source and reference elements		

Data element name: First Name	
Definition	The first name of the surveyed person.
Context	This data field identifies the legal first name of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.
Representation type	Text
Data type	String

Data element name: First Name		
Format	X[50]	
Maximum character length	50	
Unit of measurement	Not applicable	
Permissible values		
Collection method or notes	This data field identifies the legal first name of the surveyed / registered individual.	
Source and reference elements		

Data element name: Last Name			
Definition	The last name of the surveyed person.		
Context	This data field identifies the legal surname of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	String		
Format	X[25]		
Maximum character length	25		
Unit of measurement	Not applicable		
Permissible values			
Collection method or notes	This data field identifies the legal surname of the surveyed / registered person.		
Source and reference elements			

Data element name: Preferred name / Alias			
Definition	The preferred name of the surveyed person.		
Context	This data field identifies the preferred name of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	String		

Data element name: Preferred name / Alias		
Format	X[25]	
Maximum character length	25	
Unit of measurement	Not applicable	
Permissible values		
Collection method or notes	This data field identifies the preferred name of the surveyed / registered person.	
Source and reference elements		

Data element name: Contact Details				
Definition	The contact details of the surveyed person.			
Context	This data field identifies the contact details of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.			
Representation type	Text			
Data type	String			
Format	X[100]			
Maximum character length	100			
Unit of measurement	Not applicable			
Permissible values	Multiple choice question; multiple answers can be selected			
	Phone free text #[15] x2			
	Email free text X[50] x2			
	Other (please specify) free text X[100]			
Collection method or notes	This data field identifies the contact details of the surveyed / registered person.			
Source and reference elements				

Data element name: Contact name for building assessment		
Definition	The name and their contact mobile number identifies the owner or tenant of the building.	
Context	The Assessor identifies the responsible officer for the creation and submission of the Damage Assessment Form.	

Data element name: Contact name for building assessment		
Representation type	Text	
Data type	String	
Format	X[10]	
Maximum character length	10	
Unit of measurement	Not applicable	
Permissible values	Owner Tenant Other	
Collection method or notes	The Assessor identifies the responsible officer for the creation and submission of the Damage Assessment Form.	
Source and reference elements	Agency, department or organisation	

Data element name: Age			
Definition	The age of the surveyed / registered person at their most recent birthday.		
Context	This data field identifies the age at last birthday of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.		
Representation type	Numeric		
Data type	Age		
Format	NNN		
Maximum character length	3		
Unit of measurement	Years		
Permissible values	Age at last birthday		
Collection method or notes	This data field calculates the age of the surveyed / registered individual at their last birthday.		
Source and reference elements	Age New Zealand Standard Classification 1995 V1.0		

Data element name: Gender Identity		
Definition	The gender identity of the surveyed / registered person.	
Context	This data field identifies the gender of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.	

Data element name: Gender Identity			
Representation type	Text		
Data type	Select_one[list-name]		
Format	X[50]		
Maximum character length	50		
Unit of measurement	Number		
Permissible	Multiple choice question; only one answer can be selected		
values	A Female		
	B Male		
	C Gender Diverse		
Collection method or notes	This data field identifies the gender identity of the surveyed / registered person.		
Source and reference elements	Gender Identity New Zealand Standard Classification 2015 V1.0		

Data element name: Ethnicity			
Definition	The ethnicity of the surveyed / registered person.		
Context	This data field identifies the ethnicity of the surveyed / registered person. It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	Select_one[list-name]		
Format	X[50]		
Maximum character length	50		
Unit of measurement	Not applicable		

Data element name: Ethnicity			
Permissible	Multiple choice question; multiple answers can be selected		
values	Α	NZ European	
	В	Māori	
	С	Samoan	
	D	Cook Islands Māori	
	E	Tongan	
	F	Niuean	
	G	Chinese	
	Н	Indian	
	I	Other (please specify)	
		free text X[50]	
Collection method or notes	This data field identifies the ethnicity status of the surveyed / registered person		
Source and reference elements	Ethnicity New Zealand Standard Classification 2005 V2.0		

Data element nam	e: Nationality	
Definition	The nationality of the surveyed / registered person.	
Context	This data field identifies the nationality of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	Select_one[list-name]	
Format	String	
Maximum character length	50	
Unit of measurement	Not applicable	
Permissible	Multiple choice question; only one answer can be selected	
values	A New Zealand (including permanent resident)	
	B Foreign national free text X[50]	
Collection method or notes	This data field identifies the nationality status of the surveyed / registered person. If the surveyed or registered person was to disclose refugee status, do not record this. They are to be considered as a New Zealand citizen for the purpose of welfare services and registration.	
Source and reference elements		

Data element nam	e: lwi affiliation	
Definition	The iwi affiliations of the surveyed / registered person.	
Context	This data field identifies the iwi affiliations of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String[Boolean]	
Format	Yes/No	
Maximum character length	50	
Unit of measurement	True False	
Permissible values	Multiple choice question; only one answer can be selected A Yes Iwi name X[50] x 3 and Iwi region X[50] x 3 B No	
Collection method or notes		
Source and reference elements	Iwi and iwi related groups - New Zealand Standard Classification V1.0	

Data element name: Identification		
Definition	The identification of the surveyed / registered person.	
Context	This data field identifies the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String[Boolean]	
Format	Y/N	
Maximum character length	1	
Unit of measurement	True False	
Permissible	Type of ID	Tick box (yes activates list below)
values	Passport	Y/N
	Drivers licence	Y/N
	Birth certificate	Y/N
	If yes ID Number format [N] ler	ngth 15

Data element name: Identification	
Collection method or notes	This data field identifies the type of identification of the surveyed / registered person.
Source and reference elements	

Data element name: Additional registration notes		
Definition	A notes field for collecting additional registration information about the surveyed individual.	
Context	This data field captures additional information about the registered individual. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String	
Format	X[500]	
Maximum character length	500	
Unit of measurement	Not applicable	
Permissible values		
Collection method or notes		
Source and reference elements		

Data element name: Assessor notes	
Definition	A notes field for assessors to add additional information about the survey / registration.
Context	This data field captures additional information from the assessor about the survey / registration. It can be used for audit and quality control purposes.
Representation type	Text
Data type	String
Format	X[500]
Maximum character length	500
Unit of measurement	Not applicable
Permissible values	

Data element name: Assessor notes	
Collection method or notes	
Source and reference elements	

2.2 Data set: Immediate Needs / Assistance

Data element name: Different usual residential address		
Definition	The usual residential address of the surveyed / registered person.	
Context	This data field identifies the usual residential address of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String	
Format	X[150]	
Maximum character length	150	
Unit of measurement		
Permissible values	Unit/flat number Street/Rapid/Rural delivery number Street/Road/Avenue/Place Suburb/District Town/City Post Code Country Contact details: phone/mobile/email	
Collection method or notes	This is information collected from the surveyed / registered person who may not be at their usual residential address (refer to the location data set for those surveyed at home). Where possible, addresses (and associated geographic coordinates) should use a common dataset, and a free text option. See the Location data set for further details.	
Source and reference elements		

Data element name: Language	
Definition	The first language of the registered / surveyed person.
Context	This data field identifies the spoken language of the registered / surveyed person. It can be used for audit and quality control purposes
Representation type	Text

Data element name: Language	
Data type	String
Format	X50
Maximum character length	50
Unit of measurement	Not applicable
Permissible values	English is the default
Collection method or notes	
Source and reference elements	

Data element name: Wellbeing and safety		
Definition	The immediate needs of the registered / surveyed person.	
Context	This data field identifies the immediate needs of the registered / surveyed person. It can be used for identifying whether there are concerns for the safety or wellbeing of family members, children or young people or animals and if support is available to them.	
Representation type	Text	
Data type	Select_one[list-name]	
Format	Y/N	
Maximum character length	1	
Unit of measurement	String[Boolean]	
Permissible values	Do you or family have	Tick box (yes activates list below)
	Concerns about safety or wellbeing of family, children or young people or animals	Y/N
	Is there something that might make it difficult to access support for you	Y/N
	Do you have someone who can support you	Y/N
	More information	Free text X[100]
Collection method or notes		
Source and reference elements		

Data element name: Emergency needs	
Definition	The emergency assistance needs of the registered / surveyed person.

Data element name: Emergency needs		
Context	These data fields identify the assi registered person / family.	istance required for the surveyed /
Representation type	Text	
Data type	String[Boolean]	
Format	Y/N	
Maximum character length	1	
Unit of measurement	Not applicable	
Permissible values	Do you or family require	Tick box (yes activates list below)
	Food or water	Y/N
	Clothing, bedding or linen	Y/N
	Prescriptions, mobility assist, health services or doctors	Y/N
	Cultural or religious requirements	Y/N
	Have concerns about child/young person	Y/N
	Need help to contact someone	Y/N
	Require somewhere to stay	Y/N
	Require access to toilets, showers, personal hygiene products or nappies	Y/N
	Alternative cooking/heating supplies	Y/N
	Require financial assistance	Y/N
	Needs counselling services	Y/N
	Assistance with pets or farm animals	Y/N
	More information	Free text X[100]
Collection method or notes	Refer to the Welfare Registration Refer all then to the mandated W	and Needs Assessment doc V6.2 elfare services agency.
Source and reference elements		

2.3 Data set: Inquiry / Missing Person

Data element name: Missing person agency referral	
Definition	Agency referral required in order to meet the surveyed individual's missing person need?
Context	This data field captures the survey assessor's decision as to whether an agency referral was required in order to meet the surveyed individual's missing person welfare need. It can be used for audit and quality control purposes.

Data element name: Missing person agency referral	
Representation type	Text
Data type	String[Boolean]
Format	Yes/No
Maximum character length	50
Unit of measurement	True False
Permissible	Multiple choice question; only one answer can be selected
values	A Yes
	B No
Collection method or notes	This field is completed by the assessor based on their discussion with the surveyed individual about welfare need(s).
Source and reference elements	
Example	

Data element name: Missing person name	
Definition	The name(s) of the person reported missing by the surveyed individual.
Context	This data field identifies the legal name(s) of the person reported missing by the surveyed individual at the time the survey was completed. It can be used for audit and quality control purposes.
Representation type	Text
Data type	String
Format	X[100]
Maximum character length	100
Unit of measurement	Not applicable
Permissible values	
Collection method or notes	This data field is only relevant if a missing person agency referral is required.
Source and reference elements	
Example	

Data element nar	Data element name: Missing person residential address	
Definition	The usual residential address of the person reported missing by the surveyed individual.	
Context	This data field identifies the usual residential address of the person reported missing by the surveyed individual at the time the survey was completed. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String (may include special characters)	
Format	X[150]	
Maximum character length	150	
Unit of measurement	Not applicable	
Permissible values		
Collection method or notes	This data field is only relevant if a missing person agency referral is required.	
Source and reference elements		
Example	41A Kainui Road, Hataitai, Wellington 6021	

Data element nam	Data element name: Missing person contact details	
Definition	The contact details of the person reported missing by the surveyed / registered individual.	
Context	This data field identifies the contact details of the person reported missing by the surveyed / registered individual at the time the assessment was completed. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String	
Format	X[100]	
Maximum character length	100	
Unit of measurement	Not applicable	
Permissible	Multiple choice question; multiple answers can be selected	
values	Phone free text #[15] x2	
	Email free text X[50] x2	
	Other (please specify) free text X[100]	
Collection method or notes	This data field is only relevant if a missing person agency referral is required.	

Data element name: Missing person contact details	
Source and reference elements	
Example	021247893

2.4 Data set: Shelter and Accommodation

Data element name: Shelter and accommodation referral	
Definition	Agency referral required in order to meet the surveyed individual's shelter and accommodation need?
Context	This data field captures the assessor's decision as to whether an agency referral was required in order to meet the surveyed individual's shelter and accommodation need. It can be used for audit and quality control purposes.
Representation type	Text
Data type	String[Boolean]
Format	Yes/No
Maximum character length	50
Unit of measurement	True False
Permissible	Multiple choice question; only one answer can be selected
values	A Yes
	B No
Collection method or notes	This field is completed by the assessor based on their discussion with the surveyed individual about welfare need(s).
Source and reference elements	
Example	

Data element name: Number of adults requiring accommodation	
Definition	The number of adults who require shelter and accommodation assistance.
Context	This data field identifies the number of adults (aged 18 years or older) in the party who require shelter and accommodation assistance (at the time the survey was completed). It can be used for audit and quality control purposes.
Representation type	Numeric
Data type	Integer
Format	NNN

Data element name: Number of adults requiring accommodation	
Maximum character length	3
Unit of measurement	Not applicable
Permissible values	
Collection method or notes	This data field is only relevant if a shelter and accommodation agency referral is required.
Source and reference elements	
Example	2

Data element name: Number of children requiring accommodation	
Definition	The number of children who require shelter and accommodation assistance.
Context	This data field identifies the number of children (under 18 years old) in the party who require shelter and accommodation assistance (at the time the survey was completed). It can be used for audit and quality control purposes.
Representation type	Numeric
Data type	Integer
Format	NNN
Maximum character length	3
Unit of measurement	Not applicable
Permissible values	
Collection method or notes	This data field is only relevant if a shelter and accommodation agency referral is required.
Source and reference elements	
Example	3

Data element name: Accommodation requirements	
Definition	Accommodation requirements of the surveyed individual or party.
Context	This data field identifies accommodation requirements of the surveyed individual or party (at the time the survey was completed). It can be used for audit and quality control purposes.

Data element nam	Data element name: Accommodation requirements		
Representation type	Text		
Data type	String		
Format	X[500]		
Maximum character length	500		
Unit of measurement	Not applicable		
Permissible values			
Collection method or notes	This data field is only relevant if a shelter and accommodation agency referral is required.		
Source and reference elements			
Example	Require accommodation accessible for a wheelchair		

Data element name: Property status				
Definition	The property status of the surveyed individual's usual residential property.			
Context	This data field identifies the property status of the surveyed individual's property (at the time the survey was completed). It can be used for audit and quality control purposes.			
Representation type	Text			
Data type	Select_one[list-name]			
Format	X[50]			
Maximum character length	50			
Unit of measurement	Not applicable			
Permissible	Multiple choice question; only one answer can be selected			
values	A No			
	B Green/white			
	C Yellow			
	D Red			
Collection method or notes	This data field is only relevant if a shelter and accommodation agency referral is required. Suggested question: Do you know if your property has been inspected, and its status?			
Source and reference elements				
Example				

Data element name: Property Owner				
Definition	Does the surveyed individual own the property of their usual residential address?			
Context	This data field indicates whether the surveyed individual is the property owner of their usual residential address. It can be used for audit and quality control purposes.			
Representation type	Text			
Data type	String[Boolean]			
Format	Yes/No			
Maximum character length	50			
Unit of measurement	True False			
Permissible	Multiple choice question; only one answer can be selected			
values	_A Yes			
	B No			
Collection method or notes	This data field is only relevant if a shelter and accommodation agency referral is required. Suggested question: Do you own the property?			
Source and reference elements				
Example				

Data element nam	ent name: What is your insurance status?		
Definition	The insurance status of the surveyed individual.		
Context	This data field identifies the insurance status of the surveyed individual (at the time the survey was completed). It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	Select_one[list-name]		
Format	X[50]		
Maximum character length	50		
Unit of measurement	Not applicable		
Permissible	Multiple choice question; only one answer can be selected		
values	A Fully insured		
	B Some insurance coverage		
	C Uninsured		

Data element name: What is your insurance status?		
Collection method or notes	This data field is only relevant if a shelter and accommodation agency referral is required. Suggested question: What is your insurance status?	
Source and reference elements		
Example		

Data element name: Property / insurance notes				
Definition	A notes field for collecting information on the surveyed individual's property / insurance details.			
Context	This data field captures note information about the surveyed individual's property / insurance details (at the time the survey was completed). It can be used for audit and quality control purposes.			
Representation type	Text			
Data type	String			
Format	X[500]			
Maximum character length	500			
Unit of measurement	Not applicable			
Permissible values				
Collection method or notes	This data field is only relevant if a shelter and accommodation agency referral is required.			
Source and reference elements				
Example				

2.5 Data set: Household Goods and Services

Data element name: Household goods and services referral		
Definition	Agency referral required in order to meet the surveyed individual's household goods and services need?	
Context	This data field captures the survey assessor's decision as to whether an agency referral was required in order to meet the surveyed individual's household goods and services need. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String[Boolean]	
Format	Yes/No	

Data element nam	e: Household goods and services referral			
Maximum character length	50			
Unit of measurement	True False			
Permissible values	Multiple choice question; only one answer can be selected			
values	A Yes			
	B No			
Collection method or notes	This field is completed by the survey assessor based on their discussion with the surveyed individual about welfare need(s).			
Source and reference elements				
Example				

Data element name: Water delivery required				
Definition	Is a delivery of water required to meet the surveyed individual's need?			
Context	This data field captures whether an action to deliver water to the affected individual is required (at the time the survey was completed). It can be used for audit and quality control purposes.			
Representation type	Text			
Data type	String[Boolean]			
Format	Yes/No			
Maximum character length	50			
Unit of measurement	True False			
Permissible values	Multiple choice question; only one answer can be selected			
	A Yes			
	B No			
Collection method or notes	This data field is only relevant if a household goods and services agency referral is required. This field is to be completed by the assessor based on their discussion with the surveyed individual about welfare need. Suggested question: Assessor: Will delivery of water be required?			
Source and reference elements				
Example				

2.6 Data set: Animal Welfare

Data element name: Animal welfare referral				
Definition	Agency referral required in order to meet the surveyed individual's animal welfare need?			
Context	This data field captures the survey assessor's decision as to whether an agency referral was required in order to meet the surveyed individual's animal welfare need. It can be used for audit and quality control purposes.			
Representation type	Text			
Data type	String[Boolean]			
Format	Yes/No			
Maximum character length	50			
Unit of measurement	True False			
Permissible	Multiple choice question; only one answer can be selected			
values	_A Yes			
	B No			
Collection method or notes	This field is completed by the survey assessor based on their discussion with the surveyed individual about welfare need(s).			
Source and reference elements				
Example				

Data element name: Animal welfare assistance required			
Definition	The type(s) of animal welfare assistance the surveyed individual requires.		
Context	This data field identifies the type(s) of animal assistance required by the surveyed individual (at the time the survey was completed). It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	Select_one[list-name]		
Format	X[50]		
Maximum character length	50		
Unit of measurement	Not applicable		

Data element name: Animal welfare assistance required				
Permissible values	Multiple choice question; multiple answers can be selected			
	A	Access - I need access to my animals		
	В	Animal rescue		
	С	Evacuation or transport		
	D	Food		
	E	Injured or sick animals		
	F	Lost animals		
	G	Services critical for production animals		
	Н	Shelter or containment		
	I	Water		
Collection method or notes	This data field is only relevant if an animal welfare agency referral is required. Suggested question: What type(s) of animal welfare assistance do you require?			
Source and reference elements				
Example	Animal rescue, Food, Water			

Data element name: Animal type(s)			
Definition	The type(s) of animals in the surveyed individual's care.		
Context	This data field identifies the type(s) of animals who require animal assistance (at the time the survey was completed). It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	Select_one[list-name]		
Format	X[100]		
Maximum character length	100		
Unit of measurement	Not applicable		
Permissible values	Multiple choice question; multiple answers can be selected		
	A Companion		
	B Disability assistance dog		
	C Lifestyle block		
	D Production		
	E Other (please specify) Free text [100]		

Data element name: Animal type(s)		
Collection method or notes	This data field is only relevant if an animal welfare agency referral is required.	
Source and reference elements		
Example	Companion, Lifestyle block	

Data element nam	Data element name: Number of companion animals		
Definition	The total number of companion animals who require animal welfare assistance.		
Context	This data field identifies the number of companion animals (owned or managed by the affected individual), who require animal welfare assistance (at the time the survey was completed). It can be used for audit and quality control purposes.		
Representation type	Numeric		
Data type	Integer		
Format	NNN		
Maximum character length	3		
Unit of measurement	Not applicable		
Permissible values			
Collection method or notes	This data field is only relevant if a "Companion" is selected for the Animal type(s) data element. Suggested question: Total number of companion animals:		
Source and reference elements			
Example	4		

Data element name: Companion animal type(s)		
Definition	The type(s) of companion animals in the surveyed individual's care.	
Context	This data field identifies the type(s) of companion animals who require animal assistance (at the time the survey was completed). It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	Select_one[list-name]	
Format	X[100]	

Data element name: Companion animal type(s)		
Maximum character length	100	
Unit of measurement	Not applicab	ole
Permissible	Multiple cho	ice question; multiple answers can be selected
values	Α	Dog
	В	Cat
	С	Bird
	D	Fish
	Е	Horse / pony
	F	Reptile
	G	Small mammal
	Н	Other (please specify) Free text [100]
Collection method or notes		ld is only relevant if a "Companion" is selected for the Animal element. Suggested question: Companion animal type(s):
Source and reference elements		
Example	Dog, Cat, Fi	sh

Data element name: Location of animal(s)		
Definition	Where the animals that require welfare assistance are located.	
Context	This data field indicates whether the surveyed individual requires access to household goods as a result of the emergency at the time the survey was completed. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	Select_multiple[list-name]	
Format	X[50]	
Maximum character length	50	
Unit of measurement	Not applicable	
Permissible	Multiple choice question; multiple answers can be selected	
values	A At my residential address	
	B Where I am currently staying	
	C Unknown / don't know	
	D Other (please specify)	
	Free text [100]	

Data element nam	Data element name: Location of animal(s)	
Collection method or notes	This data field is only relevant if an animal welfare agency referral is required. Suggested question: Where are the animals which require assistance located?	
Source and reference elements		
Example	At my residential address	

Data element name: Animal welfare notes		
Definition	A notes field for collecting the details of the animal welfare need of the surveyed individual.	
Context	This data field captures note information about the surveyed individual's animal welfare needs (at the time the survey was completed). It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String	
Format	X[500]	
Maximum character length	500	
Unit of measurement	Not applicable	
Permissible values		
Collection method or notes	This data field is only relevant if a shelter and accommodation agency referral is required.	
Source and reference elements		
Example		

2.7 Data set: Health and Disability

Data element name: Health and disability referral	
Definition	Agency referral required in order to meet the surveyed individual's health or disability need?
Context	This data field captures the survey assessor's decision as to whether an agency referral was required in order to meet the surveyed individual's health or disability need. It can be used for audit and quality control purposes.
Representation type	Text
Data type	String[Boolean]

Data element name: Health and disability referral	
Format	Yes/No
Maximum character length	50
Unit of measurement	True False
Permissible	Multiple choice question; only one answer can be selected
values	A Yes
	B No
Collection method or notes	This field is completed by the survey assessor based on their discussion with the surveyed individual about welfare need(s).
Source and reference elements	
Example	

Data element nam	Data element name: Health or disability needs		
Definition	A notes field for collecting the health and disability needs of the surveyed individual.		
Context	This data field captures note information about the surveyed individual's health and disability needs (at the time the survey was completed). It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	String		
Format	X[500]		
Maximum character length	500		
Unit of measurement	Not applicable		
Permissible values			
Collection method or notes	This data field is only relevant if a health or disability agency referral is required.		
Source and reference elements			
Example			

2.8 Data set: Financial Assistance

Data element name: Financial assistance referral		
Definition	Agency referral required in order to meet the surveyed individual's financial assistance need?	
Context	This data field captures the survey assessor's decision as to whether an agency referral was required in order to meet the surveyed individual's financial assistance need. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String[Boolean]	
Format	Yes/No	
Maximum character length	50	
Unit of measurement	True False	
Permissible	Multiple choice question; only one answer can be selected	
values	A Yes	
	B No	
Collection method or notes	This field is completed by the survey assessor based on their discussion with the surveyed individual about welfare need(s).	
Source and reference elements		
Example		

Data element name: Financial assistance needs	
Definition	A notes field for collecting the financial assistance needs of the surveyed individual.
Context	This data field captures note information about the surveyed individual's financial assistance needs (at the time the survey was completed). It can be used for audit and quality control purposes.
Representation type	Text
Data type	String
Format	X[500]
Maximum character length	500
Unit of measurement	Not applicable
Permissible values	
Collection method or notes	This data field is only relevant if a financial assistance agency referral is required.

Data element name: Financial assistance needs	
Source and reference elements	
Example	

2.9 Data set: Psychosocial Support

Data element name: Psychosocial support referral		
Definition	Agency referral required in order to meet the surveyed individual's psychosocial need?	
Context	This data field captures the survey assessor's decision as to whether an agency referral was required in order to meet the surveyed individual's psychosocial need. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String[Boolean]	
Format	Yes/No	
Maximum character length	50	
Unit of measurement	True False	
Permissible	Multiple choice question; only one answer can be selected	
values	_A Yes	
	B No	
Collection method or notes	This field is completed by the survey assessor based on their discussion with the surveyed individual about welfare need(s).	
Source and reference elements		
Example		

Data element name: Psychosocial support needs	
Definition	A notes field for collecting the psychosocial needs of the surveyed individual.
Context	This data field captures note information about the surveyed individual's psychosocial needs (at the time the survey was completed). It can be used for audit and quality control purposes.
Representation type	Text
Data type	String
Format	X[500]
Maximum character length	500
Unit of measurement	Not applicable
Permissible values	
Collection method or notes	This data field is only relevant if a psychosocial agency referral is required.

Data element name: Psychosocial support needs	
Source and reference elements	
Example	

2.10 Data set: Additional Information

Data element name: Is there anything we should be aware of when supporting you?		
Definition	A notes field for collecting additional information agency's should be aware of when supporting the surveyed individual's welfare needs.	
Context	This data field captures additional information about the surveyed individual's welfare needs. It can be used for audit and quality control purposes.	
Representation type	Text	
Data type	String	
Format	X[500]	
Maximum character length	500	
Unit of measurement	Not applicable	
Permissible values		
Collection method or notes		
Source and reference elements		

2.11 Data set: Event Characteristics

Data element name: Event Name	
Definition	A unique name or title given to an event or operation.
Context	The Event Name is the name given to the event by the agency responsible for the response operations. An event is an incident or situation, which occurs in a particular place during a particular interval of time. It refers to the occurrence of a particular set of circumstances.
Representation type	Text
Data type	String
Format	X[255]
Maximum character length	255
Unit of measurement	Not applicable

Data element name: Event Name	
Permissible values	Not applicable
Collection method or notes	For large scale events the event is usually named by the lead agency.
Source and reference elements	Lead agency means the agency with the primary mandate for managing the response to an emergency, as specified in Appendix 1 of the National CDEM Plan 2015

Data element nam	e: Event Type	
Definition	A classification of events whether planned or unplanned.	
Context	An event is an incident or situation, which occurs in a particular place during a particular interval of time	
Representation type	Numeric	
Data type	Select_one[list-name]	
Format	NN	
Maximum character length	2	
Unit of measurement	Not applicable	
Permissible	1 Earthquake	
values	2 Volcanic hazards.	
	3 Landslide	
	4 Tsunami	
	5 Tidal surge/coastal erosion	
	6 Flood	
	7 Severe winds/Cyclones	
	8 Snow	
	9 Wild fires and urban fires	
	10 Animal pests and diseases	
	11 Infectious human disease pandemics	
	12 Infrastructure failure.	
	13 Terrorism related events.	
	14 Maritime and transport related accidents.	
	15 Not stated / inadequately described.	
Collection method or notes	Primary cause of damage from the initial event.	
Source and reference elements	Hazards and risks to be managed at a National level Part 3 of the National CDEM Plan 2015	

Data element name: Hazard Type			
Definition	The classification of the hazard types resulting from the event.		
	A hazard is a source of potential harm or a situation with a potential to cause loss.		
Context	This data field identifies the hazard	I types resulting from the event.	
Representation type	Text		
Data type	String[Boolean]		
Format	Y/N		
Maximum character length	1		
Unit of measurement	Not applicable		
Permissible	Hazardous materials	Tick box (yes activates list below)	
values	Asbestos (including suspect)	Y/N	
	Bulk flammable liquids present	Y/N	
	Chemicals present	Y/N	
	Gas leak	Y/N	
	Other	Y / N	
	More information	Free text X[100}	
	Utilities	Tick box (yes activates list below)	
	Effluent	Y / N	
	Power – wires down / arcing	Y / N	
	Power – broken pole	Y / N	
	Power – leaning pole	Y / N	
	Other power: solar, PV array, off grid system – loose / broken wiring, power still active, loose equipment.	Y/N	
	Water leak	Y / N	
	Other	Y / N	
	More information	Free text x[100]	
	Roads	Tick box (yes activates list below)	
	Disabled / damaged vehicle	Y / N	
	Motor vehicle accident	Y / N	
	Other	Y / N	
	More information	Free text x[100]	
	Trees / debris Tick box (yes activates list bele		

Data element nam	e: Hazard Type	
	Debris hazard	Y/N
	Tree down	Y/N
	Dangerous trees / branches	Y/N
	Tree / brush debris	Y / N
	Other	Y / N
	More information	Free text X[100]
	Falls, heights and depths	Tick box (yes activates list below)
	Potential fall from height	Y/N
	Damaged / destroyed pool fence	Y/N
	Danger from above	Y/N
	Other fall hazard	Y/N
	Other	Y/N
	More information	Free text X[100]
	Animals	Tick box (yes activates list below)
	Dangerous animals	Y/N
	Туре	Free text x[50]
Collection method or notes		
Source and reference elements		

2.12 Data set: Location

Data element name: CDEM Boundaries	
Definition	The CDEM Group area or "CDEM boundary" the survey / registration is being completed in.
Context	This data field identifies the CDEM Group area or "CDEM boundary" of the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.
Representation type	Text
Data type	String
Format	X[50]
Maximum character length	50
Unit of measurement	Not applicable

Data element name: CDEM Boundaries	
Permissible values	
Collection method or notes	
Source and reference elements	CDEM boundaries dataset

Data element name: Location assessment took place			
Definition	The type of location the survey / registration is being conducted in.		
Context	This data field identifies the type of location / survey method the survey / registration is being completed through. It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	Select_c	ne[list-name]	
Format	X[100]		
Maximum character length	100		
Unit of measurement	Not applicable		
Permissible	Multiple choice question; only one answer can be selected		
values	Α	At a Civil Defence Centre (CDC)	
	В	At a Community led centre	
	С	In the field / door knocking	
	D	Over the phone	
	Е	Other (please specify) Free text X[100]	
Collection method or notes			
Source and reference elements			

Data element name: Street Number	
Definition	The property number for which the assessment has be undertaken. The number identifies the number of the address in the road or thoroughfare and for ranged address is the start number (e.g. 3-5)
Context	Street Address Number is a component of an address string.
Representation type	Text
Data type	String (may include special characters)

Data element name	Data element name: Street Number		
Format	X[6]		
Maximum character length	6		
Unit of measurement	Not applicable		
Permissible values	Not applicable		
Collection method or notes	Please note there are a number of components of the street address number: Unit / Flat		
	Rapid number		
	Rural delivery number		
	Where agencies have ability to input geographic coordinates, the location data may be auto-populated. Where this is not possible, the location data fields must be added manually.		
	For some large scale events address details may be destroyed, unrecognisable or shifted and therefore unavailable or difficult to record. Use geographic coordinates – latitude and longitude in decimal degrees.		
Source and reference elements			

Data element name: Street Name	
Definition	The name of the street where the structure / building or where the surveyed person for which the assessment has been undertaken is located. The name of the road / thoroughfare applicable to the address or complex.
Context	Street Name is a component of an address string.
Representation type	Text
Data type	String (may include special characters)
Format	X[255]
Maximum character length	255
Unit of measurement	Not applicable
Permissible values	Not applicable

Data element nan	Data element name: Street Name	
Collection method or notes	Please note that there a number of components for the street name: Road Name	
	Road Suffix – e.g. West	
	Road Type – road, street, avenue, crescent (Rd, St, Ave, Cres)	
	Where agencies have ability to input geo-coordinates, the location data may be auto-populated. Where this is not possible, the location data fields must be added manually.	
	For some large scale events address details may be destroyed, unrecognisable or shifted and therefore unavailable or difficult to record. Use geographic coordinates – latitude and longitude in decimal degrees.	
Source and reference elements		

Data element name: Building Name	
Definition	The name of the structure / building for which the assessment has been undertaken
Context	Building Name is a component of an address string.
Representation type	Text
Data type	String (may include special characters)
Format	X[255]
Maximum character length	255
Unit of measurement	Not applicable
Permissible values	Not applicable
Collection method or notes	
Source and reference elements	Refer to Fire and Emergency New Zealand

Data element name: Suburb / District (Locality)	
Definition	The suburb or district where the property / building / structure or surveyed person for which the assessment has been undertaken is located. The name of the Locality of the address, synonymous name Suburb. The suburb / locality name which identifies the physical location at which the assessment was undertaken.
Context	Locality / Suburb is a component of an address string.
Representation type	Text

Data element name: Suburb / District (Locality)	
Data type	String (may include special characters)
Format	X[50]
Maximum character length	50
Unit of measurement	Not applicable
Permissible values	Refer to: https://data.linz.govt.nz/layer/51718-landonline-locality/
Collection method or notes	Geospatial files as ESRI shapefiles, with auxiliary tables in Microsoft Excel.
Source and reference elements	NZ localities is a collection of GIS layers and auxiliary tables which includes a layer of suburbs (urban area) or localities (rural area) for all of New Zealand.

Data element nai	Data element name: City / Town (Locality)	
Definition	The city or town where the property / building / structure or surveyed person for which the assessment has been undertaken is located.	
	The name of the Locality of the address, synonymous name City/Town.	
	The city / town name which identifies the physical location at which the assessment was undertaken.	
Context	City/Town is a component of an address string.	
Representation type	Text	
Data type	String (may include special characters)	
Format	X[50]	
Maximum character length	50	
Unit of measurement	Not applicable	
Permissible values	Refer to: https://data.linz.govt.nz/layer/51718-landonline-locality/	
Collection method or notes	Geospatial files as ESRI shapefiles, with auxiliary tables in Microsoft Excel	
Source and reference elements	NZ localities is a collection of GIS layers and auxiliary tables which includes a layer of cities/ towns maintained by LINZ.	

Data element name: Territorial Authority	
Definition	The LGA where the property / building / structure for which the assessment has been undertaken is located.
Context	Administrative only
Representation type	Numeric

Data element nan	Data element name: Territorial Authority		
Data type	Integer		
Format	NNNNN		
Maximum character length	5		
Unit of measurement	Not applicable		
Permissible	Refer to:		
values	Information		
	Tags	Local authorities	
	Regions	New Zealand	
	Metadata	ISO 19115/19139, Dublin Core	
Collection method or notes			
Source and reference elements	https://datafir	nder.stats.govt.nz/layer/25735-territorial-authority-2013	

Data element name: Country	
Definition	The Country that the surveyed /registered person comes from
Context	Administrative only
Representation type	Text
Data type	String
Format	X[50]
Maximum character length	50
Unit of measurement	Not applicable
Permissible values	Default is New Zealand
Collection method or notes	
Source and reference elements	ISO 3166-1

Data element name: Geocode Coordinates – Latitude	
Definition	The location coordinates where the property / building / structure or the surveyed person for which the assessment has been undertaken is located.

Data element name: Geocode Coordinates – Latitude		
Context	Geocode – is a single location coordinate or a unique code that can be used to determine the position of a location on the Earth's surface. The unique code provides a direct link to a set of coordinates that defines a geographic object that represents that location – commonly a point or a polygon. The World Geodetic System 1984 (WGS84) is the datum used with GPS. Coordinates computed from GPS receivers are likely to be provided in terms of the WGS84 datum and the heights in terms of the WGS84 ellipsoid. The datum can be converted later to other formats if required such as New Zealand Traverse Mercator (NZTM 2000).	
Representation type	Format	
Data type	Double integer	
Format	Decimal degrees – precision 6 decimal places	
Maximum character length	10	
Unit of measurement	Not applicable	
Permissible values		
Collection method or notes		
Source and reference elements		

Data element name: Geocode Coordinates – Longitude	
Definition	The location coordinates where the property / building / structure or the surveyed person for which the assessment has been undertaken is located.
Context	Geocode – is a single location coordinate or a unique code that can be used to determine the position of a location on the Earth's surface. The unique code provides a direct link to a set of coordinates that defines a geographic object that represents that location – commonly a point or a polygon. The World Geodetic System 1984 (WGS84) is the datum used by the GPS. Coordinates computed from GPS receivers are likely to be provided in terms of the WGS84 datum and the heights in terms of the WGS84 ellipsoid. The datum can be converted later to other formats if required such as New Zealand Traverse Mercator (NZTM 2000).
Representation type	Format
Data type	Double integer
Format	Decimal degrees – precision 6 decimal places
Maximum character length	10
Unit of measurement	Not applicable

Data element name: Geocode Coordinates – Longitude		
Permissible values		
Collection method or notes		
Source and reference elements		

2.13 Data set: Structure Characteristics

Data element name: Structure Type complex earthquake		
Definition	Refers to the framing of the structure being assessed.	
Context		
Representation type	Text	
Data type	Select_one[list-name]	
Format	X[1]	
Maximum character length	1	
Unit of measurement	Not applicable	
Permissible	A Timber frame	
values	B Steel frame	
	C Concrete frame	
	D Concrete shear wall	
	E Tilt-up concrete	
	F Reinforced masonry	
	G Unreinforced masonry	
	H Other	
Collection method or notes		
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/	

Data element name: Structure Type simple earthquake		
Definition	Refers to the framing of the structure being assessed	
Context		
Representation type	Text	

Data element name: Structure Type simple earthquake				
Data type	Select_one[list-name]			
Format	X[1]	X[1]		
Maximum character length	1			
Unit of measurement	Not applicable			
Permissible	Α	Timber frame		
values	В	Steel frame		
	С	Reinforced masonry		
	D	Unreinforced masonry		
	Е	Other		
Collection method or notes				
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/			

Data element name: External Cladding type simple earthquake / flood		
Definition	Exterior walls can be finished with a wide array of materials and techniques. This data field describes the external wall cladding material type.	
Context	This data field describes the external wall cladding material type.	
Representation type	Text	
Data type	Select_one[list-name]	
Format	X[1]	
Maximum character length	1	
Unit of measurement	Not applicable	
Permissible	A Brick veneer	
values	B Concrete panels	
	C Sheet material	
	D Weatherboard	
	E Exterior Insulation Finishing system	
	F Other	
Collection method or notes		

Data element name: External Cladding type simple earthquake / flood		
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/	

Data element name: External Cladding type complex earthquake / flood		
Definition	Exterior walls can be finished with a wide array of materials and techniques. This data field describes the external wall cladding material type.	
Context	This data field describes the external wall cladding material type.	
Representation type	Text	
Data type	Select_one[list-name]	
Format	X[1]	
Maximum character length	1	
Unit of measurement	Not applicable	
Permissible	A Brick veneer	
values	B Concrete panels	
	C Steel	
	D Glass	
	E Lightweight	
	F Other	
Collection method or notes		
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/	

Data element name: Lining type flooding		
Definition	Interior walls can be finished with a wide array of materials and techniques. This data field describes the internal wall cladding material type.	
Context	This data field describes the internal wall cladding material type.	
Representation type	Text	
Data type	Select_one[list-name]	
Format	X[1]	
Maximum character length	1	

Data element name: Lining type flooding		
Unit of measurement	Not applicable	
Permissible values	A Plasterboard	
	B Lathe and plaster	
	C Hardboard	
	D Softboard	
	E Other	
Collection method or notes		
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/	

Data element name: Construction age		
Definition	The age of the particular building or structure.	
Context	This data field describes the age of the assessed structure.	
Representation type	Text	
Data type	Select_one[list-name]	
Format	X[1]	
Maximum character length	1	
Unit of measurement	Not applicable	
Permissible values	_A < 1935	
	B 1935-1976	
	C 1977 -1984	
	D 1985-2000	
	E >2000	
	F unknown	
Collection method or notes		
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/	

Data element nam	e: Roof materials	
Definition	Roofing material describes the outermost layer on the roof of a building, sometimes self-supporting, but generally supported by an underlying structure. A building's roofing material provides shelter from the natural elements.	
Context	Describes the key material type of the roof.	
Representation type	Text	
Data type	Select_one[list-name]	
Format	X[1]	
Maximum character length	1	
Unit of measurement	Not applicable	
Permissible	A Masonry tiles	
values	B Pressed metal tiles	
	C Profiled metal	
	D Membrane roofing	
	E Slate	
	F Other	
	G Unknown	
Collection method or notes		
Source and reference elements		

Data element name: Number of levels (ground level and above)		
Definition	The number of levels at and above the lowest point of egress from the building.	
Context	The number of levels at and above the lowest point of egress from the building.	
Representation type	Numeric	
Data type	Select_one[list-name]	
Format	NNN	
Maximum character length	3	
Unit of measurement	Not applicable	

Data element name: Number of levels (ground level and above)			
Permissible	1 to 100	The number of levels.	
values	00	Number of levels above ground.	
	00	Number of levels below ground	
	00	Undivided structures such as silos, hangars, bridges.	
	000	Number of levels undetermined.	
	Blank	Number of levels not reported.	
Collection method or notes			
Source and reference elements			

Data element nai	me: Build	ding type	
Definition		The classification of a building or part of a building is determined by the purpose for which it is designed, constructed or adapted to be used.	
Context		ata element identities and describes the building structure type for the assessment is conducted.	
Representation type	Text		
Data type	Select	Select_one[list-name]	
Format	X[1]		
Maximum character length	1		
Unit of measurement	Not ap	Not applicable	
Permissible	Α	Complex residential	
values	В	School	
	С	Commercial/office	
	D	Industrial	
	E	Critical facility	
	F	Public assembly	
	G	Simple residential	
	Н	Accessory building (garage/shed)	
	I	Retaining wall	
	J	Other	

Data element name	Data element name: Building type		
Collection method or notes	Where parts of the building have different purposes – if not more than 10% of the floor area of a storey, being the minor use, is used for a purpose which is a different classification, the classification applying to the major use may apply to the whole storey.		
	Use Infrastructure type to record if the structure / building is a fundamental facility or system serving a country, city, or area necessary for its economy to function.		
Source and reference elements	https://www.building.govt.nz/assets/Uploads/managing-buildings/post- emergency-building-assessment/earthquake-non-residential-form-l2.pdf		

Data element name: Infrastructure type				
Definition	The classification of the infrastructure type impacted by the event.			
	Infrastructure refers to the fundamental facilities and systems serving a country, city, or area, including the services and facilities necessary for its economy to function.			
	It typically characterises technical structures such as roads, bridges, tunnels, water supply, sewers, electrical grids, telecommunications, and so forth, and can be defined as the physical components of interrelated systems providing commodities and services essential to enable, sustain, or enhance societal living conditions.			
Context				
Representation type	Select_one[list-na	ame]		
Data type	String			
Format	Y/N			
Maximum character length	1			
Unit of measurement	Not applicable			
Permissible values	Critical Assets that are essential for the functioning of a society and economy.			
		Roads	Road	Y/N
			Tunnel	Y / N
			Bridge	Y/N
			Other	Y / N
		Rail	Track	Y / N
			Tunnel	Y/N
			Bridge	Y/N
			Other	Y/N
		Other transport	Port	Y/N
			Airport	Y/N

Data element name: Infrastructure ty	/pe		
		Bus Depot	Y/N
	Water supply	Pump station	Y/N
		Treatment plant	Y/N
		Reservoir	Y/N
		Pipe	Y/N
	Wastewater	Pump station	Y/N
		Treatment plant	Y/N
		Pipe	Y/N
	Flood protection	Stop bank	Y/N
		Dam	Y/N
		Pipe	Y/N
		Other	Y/N
	Electricity	Overhead lines	Y/N
		Towers	Y/N
		Poles	Y/N
		Substation	Y/N
		Other structures	Y/N
	Fuel	Bulk tank depot	Y/N
		Fuel stations	Y/N
	Telecommunications	Exchange building	Y/N
		Tower	Y/N
		Roadside cabinet	Y/N
Critical facilities	Facilities that are critica and protection of comm		ng,
	Law enforcement, police	e station	Y / N
	Prisons		Y/N
	Schools and universitie	s	Y/N
	Emergency Services, e	.g. fire stations, SES	Y/N
	Ambulance		Y / N
Urban infrastructure	Hard infrastructure systems and operated / councils water distribution, and include some of the factorial soft infrastructure.	s, such as streets, sewers. It may also	Y/N
	Parks		Y / N
	Public pools		Y / N
	Libraries		Y/N
Military Infrastructure	All building and permar necessary for the supp		Y/N

Data element name: Infrastructure type		
	whether they are stationed in bases, being deployed or engaged in operations, such as barracks, headquarters, airfields, communications facilities, stores of military equipment, port installations, and maintenance stations.	
Collection method or notes		
Source and reference elements		

2.14 Data set: External Risks

Data element nan	Data element name: Potential external risks Earthquake			
Definition	The potential external risks surrounding the surveyed building			
Context				
Representation type	Text			
Data type	String[Boolean]			
Format	Y/N			
Maximum character length	1			
Unit of measurement	True False			
Permissible	Risks	Tick box (yes activates list below)		
values	Objects falling from adjacent buildings	Y/N		
	If yes, adjacent building id or address [50]			
	Land instability	Y/N		
	Other	Y/N		
	If yes format txt [50]			
Collection method or notes	This data field identifies the type of registered person	f identification of the surveyed /		
Source and reference elements				

Data element name: Potential external risks Flooding		
Definition	The potential external risks surrounding the surveyed building	
Context		
Representation type	Text	

Data element name: Potential external risks Flooding			
Data type	String[Boolean]		
Format	Y/N		
Maximum character length	1		
Unit of measurement	True False		
Permissible	Risks	Tick box (yes activates list below)	
values	Land instability above	Y/N	
	Land instability below	Y/N	
	Sea wall breach	Y/N	
	Stopbank breach	Y/N	
	Flash Flood	Y/N	
	Water level rising	Y/N	
	Other	Y/N	
	If yes format txt length 50		
Collection method or notes	This data field identifies the type of identification of the surveyed / registered person		
Source and reference elements			

2.15 Data set: Condition Characteristics

Data element nam	Data element name: Observed damage		
Definition	The classification of the destruction or a loss in value, usefulness, ability or intended purpose resulting from an action or event.		
Context	The evaluation and recording of damage to structures, facilities, or objects.		
Representation type	Numeric		
Data type	Select_one[list-name]		
Format	N		
Maximum character length	1		
Unit of measurement	Not applicable		

Data element name: Observed damage		
Permissible	1	No damage / unaffected
values	2	Minor damage – damage such as broken windows, slight damage to roofing and siding, interior partitions blown down, and cracked walls; the damage is not severe enough to preclude use for the purpose for which was intended but easily repairable.
	3	Moderate damage – the degree of damage to principal members, which precludes effective use of the structure or facility for its intended purpose, unless major repairs are made short of complete reconstruction, that is damaged to such an extent as to be partly unusable but can perform some part of its original function and will be fully usable with repairs.
	4	Severe damage – damage which precludes further use of the structure, facility, or object for its intended purpose without extensive repairs.
	5	Total damage / destroyed.
	6	Damage not stated / inadequately described.
Collection method or notes		
Source and reference elements		

Data element name	Data element name: Estimated building damage		
Definition	Refers to the main structural component of damage to the building.		
Context	Refers to main area of structural damage to the building.		
Representation type	Text		
Data type	Select_one[list-name]		
Format	X[1]		
Maximum character length	1		
Unit of measurement	Not applicable		
Permissible	A None		
values	B 0-10%		
	C 11-30%		
	D 31-60%		
	E 61-100%		
Collection method or notes			

Data element name: Estimated building damage			
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/		

Data element name: Main area of structural damage						
Definition	Refers to the main structural component of damage to the building.					
Context	Refers to main area of structural damage to the building.					
Representation type	Numeric					
Data type	Select_one[list-name]					
Format	X[1]					
Maximum character length	1					
Unit of measurement	Not applicable					
Permissible values	Collapse/partial collapse/off foundation					
	2 Building or story leaning					
	3 Structural damage to vertical system					
	4 Structural damage to lateral system					
	5 Chimney, parapet or falling hazard					
	6 Ground slope movement or cracking					
	7 Other Text X[100]					
Collection method or notes						
Source and reference elements	https://www.building.govt.nz/assets/Uploads/managing-buildings/post- emergency-building-assessment/earthquake-non-residential-form-I1.pdf					

Data element name: Existing placards						
Definition	An existing placard identifies if the property has previously been assessed and habitability classified.					
Context	The data field identifies there is an existing placard on the building.					
Representation type	Text					
Data type	Select_one [list name]					
Format	X[1]					
Maximum character length	1					

Data element name: Existing placards					
Unit of measurement	Not applicable				
Permissible values	Multiple choice question; only one answer can be selected				
values	N None				
	W White – Can be used				
	Y1 Yellow 1 – Restricted access to parts of the building				
	Y2 Yellow 2 – Restricted access – Short term entry only				
	R1 Red 1 – Entry prohibited (at risk from external factors)				
	R2 Red 2 – Entry prohibited				
	Date DD/MM/YYYY [8]				
	Team ID (if provided) Text X[3]				
Collection method or notes					
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/				

Data element name: Accessibility							
Definition	Having the features and / or qualities that ensure easy entrance, participation, and usability of places, programs, services, and activities by individuals.						
Context	The data field identifies whether or not a building / structure dwelling is deemed to be accessible by people.						
Representation type	Numeric						
Data type	Select_one[list-name]						
Format	N						
Maximum character length	1						
Unit of measurement	Not applicable						
Permissible	1 Yes						
values	2 No						
	3 Not stated / unknown						
Collection method or notes							

Data element name: Accessibility			
Source and reference elements			

Data element name: Assessment outcome							
Definition	The classification of whether or not the residence is deemed to be adequate for habitation by people. Habitability refers to a dwelling being fit for human habitation, possessing						
		basic amenities in working order and not being in substantial disrepair.					
Context		data field identifies the placarding a dwelling is deemed to be adequat	system which identifies whether or te for habitation by people.				
Representation type	Num	neric					
Data type	Sele	Select_one[list-name]					
Format	N						
Maximum character length	1						
Unit of measurement	Not	applicable					
Permissible	1	White –Can be used	Light/No Damage				
values	2	Yellow- Restricted access to parts of the building	Moderate damage				
	3	Yellow –Restricted access – Short term entry only	Moderate damage				
	4	4 Red –Entry Prohibited (At risk Severe damage from external factors)					
	5	Red – Entry prohibited	Severe damage				
Collection method or notes							
Source and reference elements	https://www.building.govt.nz/managing-buildings/post-emergency-building-assessment/field-guides-and-tools-for-building-assessment/earthquake-rapid-assessment-forms/						

Data element name: Survey extent of building			
Definition			
Context			
Representation type	Numeric		
Data type	Select_one[list-name]		
Format	N		

Data element name	Data element name: Survey extent of building				
Maximum character length	1				
Unit of measurement	Not applicable				
Permissible values	Exterior	Α	Partial		
		В	Complete		
	Interior				
		С	Not accessed		
		D	Partial		
		Е	Complete		
Collection method or notes					
Source and reference elements					

Data element name	e: Geotechnical assessment completed
Definition	
Context	
Representation type	Numeric
Data type	Select_one[list-name]
Format	N
Maximum character length	1
Unit of measurement	Not applicable
Permissible	1 Yes
values	2 No
Collection method or notes	
Source and reference elements	

Data element name: Further actions required					
Definition Suggested further actions required at the affected premise.					

Data element name:	Further action	ns re	quired				
Context	Describes the recommended additional actions at the inspected property.						
Representation type	Numeric						
Data type	Select_one[list-name]						
Format	N						
Maximum character length	1						
Unit of measurement	Not applicable	е					
Permissible values	1	Α	her assessment None				
		В	Level 2 Rapid AssessmentB1 Structural	Yes/No Yes/No			
		_	engineer B2 Geotechnical	Yes/No			
			engineer B3	Yes/No			
			B4	Yes/No			
		С	Further evaluation	Txt 255			
		D	Welfare visit required	Yes/No			
	2	Safe	ety cordon		_		
		Α	None				
		В	Cordon required				
			Extent Txt [255]				
	3		ricades				
		<u>A</u>	None				
		B Barricades already in place					
		С	Barricades requi	red			
	4	l lee	Extent Txt [255]		_		
	4	Urgency A Standard					
		В	Immediate action				
Collection method or notes							
Source and reference elements							

Data element name	Data element name: Business operation / Continuity			
Definition	Determines the operational status of a commercial building or industrial building immediately following a disaster or emergency event.			
Context	Measures the number of commercial and industrial buildings which are closed directly or indirectly as a result of the emergency or disaster event.			
Representation type	Numeric			
Data type	Select_one[list-name]			
Format	N			
Maximum character length	1			
Unit of measurement	Not applicable			
Permissible values	'Open', 'Closed', Not Applicable', Unknown'			
	1 Open			
	2 Closed			
	3 Unknown			
	9 Not applicable			
Collection method or notes				
Source and reference elements				

Data element name: Water ingress (height)		
Definition	The height of water above living / habitable space flooring through water entering as a result of flood inundation.	
Context	Describes in centimetres the height of water above living / habitable space flooring.	
Representation type	Numeric	
Data type	Select_one[list-name]	
Format	N	
Maximum character length	1	
Unit of measurement	Not applicable	

Data element name: Water ingress (height)			
Permissible values	0	No water	
	1	Up to 25cm	
	2	25-50cm	
	3	50-100cm	
	4	100-150cm	
	5	Over 150cm	
	9	Unable to determine	
Collection method or notes			
Source and reference elements			

Data element name: Washout required			
Definition	A task required to remove debris from the affected premise.		
Context	Describes whether washout is required to remove debris from the affected premise.		
Representation type	Numeric		
Data type	Select_one[list-name]		
Format	N		
Maximum character length	1		
Unit of measurement	Not applicable		
Permissible values	1 Yes		
	2 No		
	9 Not stated / inadequately described		
Collection method or notes			
Source and reference elements			

2.16 Data set: Geotechnical Rapid Assessment

Data element name: Structures present		
Definition	Determines the operational status of a commercial building or industrial building immediately following a disaster or emergency event.	
Context	Measures the number of commercial and industrial buildings which are closed directly or indirectly as a result of the emergency or disaster event.	

Data element name: Structures present		
Representation type	Numeric	
Data type	Select_one[list-name]	
Format	N	
Maximum character length	1	
Unit of measurement	Not applicable	
Permissible values	 1 Commercial building 2 Residential dwelling 3 Accessory building 4 Retaining wall A <1.5m B >1.5m 5. Other. If yes, Txt [255] 	
Collection method or notes		
Source and reference elements		

Data element name	Data element name: Topographic setting		
Definition			
Context			
Representation type	Text		
Data type	Select_one[list-name]		
Format	N		
Maximum character length	1		
Unit of measurement	Not applicable		
Permissible values	 Flat ground Flat ground, adjacent to slope A Slope above/below buildings B Slope height C Distance to slope Sloping Ground A Gentle <10deg B Sloping ground moderate 10 to 20 deg C Sloping Ground Steep >20 deg 		

Data element name	Data element name: Topographic setting	
Collection method or notes		
Source and reference elements		

Data element name: Other relevant features			
Definition	Other relevant features that maybe present e.g. river, stream or gully.		
Context	Describe the features (e.g. river, stream, gully) which are affected directly or indirectly as a result of the emergency or disaster event.		
Representation type	Text		
Data type	String		
Format	X[255]		
Maximum character length	255		
Unit of measurement	Not applicable		
Permissible values			
Collection method or notes	Include distance to structures		
Source and reference elements			

2.17 Data set: Hazard Identification

Data element name: Hazards observed			
Definition	The potential hazards surrounding the surveyed building.		
Context	This data field identifies the surveyed / registered person at the time the assessment was undertaken. It can be used for audit and quality control purposes.		
Representation type	Text		
Data type	String[Boolean]		
Format	Y/N		
Maximum character length	1		
Unit of measurement	True False		

Data element nam	e: Hazards observed	
Permissible	Hazards	Tick box (yes activates list below)
values	Landslide	Y/N
	Boulder roll	Y/N
	Cliff collapse	Y/N
	Debris flow	Y/N
	Lateral spreading	Y/N
	Debris avalanche	Y/N
	Ground cracking	Y/N
	Slope creep	Y/N
	Other	Y/N
	If yes format txt length 255	
Collection method or notes	This data field identifies the type of identification of the surveyed / registered person.	
Source and reference elements		

2.18 Data set: Imagery

Data element name: Imagery		
Definition	Using computers and / or specialised hardware / software to capture (copy), store, process, manipulate and distribute 'flat information' such as documents, photographs, paintings, drawings and plans through digitisation.	
Context	This data field identifies whether visual images were collected during assessment.	the
Representation type	Text	
Data type	String[Boolean]	
Format	Y/N	
Maximum character length	1	
Unit of	Photograph Y / N	
measurement	Video Y / N	
	Other Y / N	
	ID Free Text X[20]	
Permissible values		
Collection method or notes		